



**LAKE COUNTY AIR QUALITY  
MANAGEMENT DISTRICT**

885 Lakeport Boulevard Phone: (707) 263-7000  
Lakeport, CA 95453 Fax: (707) 263-0421

**Asbestos Demolition/Renovation  
NOTIFICATION FORM**

Section 467

LCAQMD # \_\_\_\_\_

**SITE INFORMATION**

Site Address \_\_\_\_\_

City, State \_\_\_\_\_ Zip \_\_\_\_\_

Owner Name \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_

Specific Location of Project \_\_\_\_\_

Single Family Dwelling  Commercial  Apartment Building  Govt Building  School

Renovation  Demolition - Fire Training Yes  No

Weekend Work  Night Work (After 5 PM)

Cumulative Renovations (each less than 100 square or linear feet)

Start Date: \_\_\_\_\_ Completion Date: \_\_\_\_\_

Material Description: \_\_\_\_\_ Will All Asbestos be removed? Yes  No

Method(s) of Removal: \_\_\_\_\_

Total removal amounts of **friable** asbestos material only: \* \_\_\_\_\_ lin ft/ \_\_\_\_\_ sq ft/ \_\_\_\_\_ cu ft

Total removal amounts of non-friable asbestos material: \_\_\_\_\_ lin ft/ \_\_\_\_\_ sq ft/ \_\_\_\_\_ cu ft

\* Indicate how much of this involves bead-blast, or shot-blast removal: \_\_\_\_\_

**CONTRACTOR INFORMATION**

Name \_\_\_\_\_ Contact \_\_\_\_\_

Mailing Address \_\_\_\_\_ Phone \_\_\_\_\_ Cell Phone \_\_\_\_\_

City, State \_\_\_\_\_ Zip \_\_\_\_\_ Contractor Job No. \_\_\_\_\_

**DISPOSAL SITE INFORMATION**

Landfill Name \_\_\_\_\_ Address \_\_\_\_\_

City, State \_\_\_\_\_ Zip \_\_\_\_\_

**FORM PREPARATION INFORMATION**

This form prepared by \_\_\_\_\_ Title \_\_\_\_\_

Company \_\_\_\_\_ Address \_\_\_\_\_

City, State, Zip \_\_\_\_\_ Phone \_\_\_\_\_

**WASTE TRANSPORTER INFORMATION**

Name \_\_\_\_\_ EPA I.D. # \_\_\_\_\_  
Address \_\_\_\_\_ City, State \_\_\_\_\_  
Zip \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_ Contact \_\_\_\_\_

**BUILDING ASBESTOS SURVEY INFORMATION**

Name of person who completed the survey \_\_\_\_\_ Company Name \_\_\_\_\_  
Address \_\_\_\_\_ City, State \_\_\_\_\_ Zip \_\_\_\_\_  
Phone \_\_\_\_\_ Fax \_\_\_\_\_ Inspector Certification: AHERA  EPA  OSHA   
Analytical method used to identify the presence of RACM: PLM  TEM  Other  \_\_\_\_\_  
Inspected Components: Roofing  Walls  Mechanical  Structural  Piping  Flooring  HVAC   
Other  Specify: \_\_\_\_\_  
\_\_\_\_\_  
Is asbestos present? Yes  No  \*\*\* ATTACH COPIES OF ALL INSPECTION/LAB REPORTS \*\*\*

**GOVERNMENT ORDERED DEMOLITION**

Name \_\_\_\_\_ Title \_\_\_\_\_  
Agency \_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Date of Order Authorizing Ordered Demolition \_\_\_\_\_ \*\*\* Attach copy of Demolition Order \*\*\*

**EMERGENCY RENOVATION**

Date and Hour of Emergency \_\_\_\_\_  
Description of event and an explanation of how the event has caused unsafe conditions or would cause equipment damage. \_\_\_\_\_  
\_\_\_\_\_

I certify that an individual trained in the provisions of this regulation (40 CFR Part 61, Subpart M) will be on site during the demolition or renovation and evidence that the required training has been accomplished by this person and will be available for inspection during normal business hours.

\_\_\_\_\_  
Signature of Owner/Contractor

\_\_\_\_\_  
Date

I certify that the above information is correct, and that I will comply with all of the requirements of the LCAQMD's Regulations, as well as all other applicable federal, state, and local requirements.

\_\_\_\_\_  
Signature of Owner/Contractor

\_\_\_\_\_  
Date

## LAKE COUNTY AIR QUALITY MANAGEMENT DISTRICT

885 LAKEPORT BOULEVARD, LAKEPORT, CA 95453

PHONE (707) 263-7000, FAX (707) 263-0421

### ASBESTOS NOTIFICATION - INSTRUCTIONS AND INFORMATION

- Notifications must be complete to be considered in compliance with LCAQMD Regulations Section 467. Notifications lacking information are considered incomplete and will be returned. The 14-day notification period will not start until a complete notification is submitted.
- The notification form may be used to notify the LCAQMD of demolition or asbestos removal (renovation) operations. Each of these operations requires separate notification. You are not required to notify for non-commercial residential structures consisting of 4 or fewer units.
- Revisions to the information stated in the notification form can be made by phone, but must be followed up in writing or by fax.
- If the job is postponed or canceled, you must notify the District prior to the notified completion date or the action will constitute a failure to notify. If a job starts prior to the reported starting date or continues past the scheduled completion date as shown in the notification, this shall constitute a failure to notify.
- Notification is required for each renovation operation where the amount of Regulated Asbestos Containing Material (RACM) is greater than or equal to 260 linear feet, 160 ft<sup>2</sup>, or 35 ft<sup>3</sup>.
- Notification is required for every demolition, even where no RACM is present.
- LCAQMD Section 467 requires that notifications shall be provided to the APCO at least 14 days prior to commencement of demolition/renovation, or as early as possible prior to commencement of emergency demolition/renovation.
- LCAQMD Table 6 - "Schedule of Fees for Permits" authorizes fees for demolition/renovation operations. The contractor listed on the notification form is responsible for the payment of these fees at the time of notification submittal. The 14-day notification period will not start until fees are submitted.

### INSTRUCTIONS

**SPECIFIC LOCATION OF THE PROJECT:** Indicate where the Demolition/Renovation is taking place within the Site Address.

- Examples:
- Building 100A, 3rd floor
  - Basement boiler room
  - Medical building, Wing 2A

**START DATE:** Indicate a correct and accurate Start Date, not a prospective date. The Start Date is the date on which Regulated Asbestos Containing Material (RACM) removal commences or which demolition of the structure commences. Any change of start date must be notified prior to the date originally notified for the job. Under no circumstances may the revised Start Date be earlier than the 14th day following the postmark of the original notification, unless an emergency notification has been made (see below).

**MATERIAL DESCRIPTION:** Indicate the type of friable asbestos material being removed.

- Examples:
- Pipe lagging and acoustical ceiling
  - Thermal system insulation
  - Asbestos insulated heating ducts

If the notification is for demolition activity, indicate the type of structure:

Examples:

- Wood
- Brick

**DEMOLITION - FIRE TRAINING:** Notification is required and all asbestos must be removed if a structure is to be burned for fire training purposes. The 14-day notification requirement must be met before commencement of fire training.

**METHODS OF REMOVAL:** Indicate the methods and procedures you will employ to comply with the District's Regulation Section 467.

If notification is for demolition activity, indicate method of demolition.

Examples:

- Backhoe
- Wrecking ball
- Demolition by hand

**REMOVAL AMOUNT:** Indicate the amount of Regulated Asbestos Containing Material (RACM) to be removed. If the job involves bead or shot blasting, indicate the amount. Note: Non-friable asbestos material is exempt from notification unless it is made friable during demolition, renovation or removal (see Section 467).

RACM must be removed prior to demolition operations. The amount of asbestos for demolition notification is zero (0) amount - ALL demolitions must be notified.

**EMERGENCY NOTIFICATION:** Under certain conditions, the 14-day notification period may be waived. However, you must submit the completed notification form and reference and document the emergency. Note: All notices submitted under the Emergency Notification Procedure are subject to verification and approval by the District's inspection staff.

**CONTRACTOR:** Indicate the name of the contractor who is performing the demolition/renovation.

**CONTRACTOR JOB NO.:** Indicate your reference number, if any.

**DISPOSAL SITE INFORMATION:** INDICATE the name of the disposal site where the Regulated Asbestos Containing Material (RACM) will be deposited. All RACM must be removed prior to commencement of demolition operations.

**WASTE TRANSPORTER INFORMATION:** Indicate the name of the transporter of the Regulated Asbestos Containing Material (RACM). The state of California considers RACM a hazardous waste. Therefore, a contractor is required to obtain an EPA number to qualify as a hauler of RACM waste.

**SURVEY INFORMATION:** Prior to commencement of any demolition or renovation, a survey shall be performed for the presence of Regulated Asbestos Containing Material (RACM). This section is not applicable if the material to be renovated is declared as RACM and will be handled in accordance with the provisions of Section 467.

**GOVERNMENT ORDERED DEMOLITION AND EMERGENCY RENOVATION:** Reference the Emergency Notification procedure indicated above.

**FAX:** Notifications may be faxed to the LCAQMD @ (707) 263-0421

**FEES:** If RACM is present but less than 260 linear feet, 160 ft<sup>2</sup>, or 35 ft<sup>3</sup>, the fee is **\$162.91**.

If RACM is present and greater than 260 linear ft., 160 ft<sup>2</sup>, or 35 ft<sup>3</sup>, the fee is **\$325.82**.  
Make check payable to the Lake County AQMD, and submitted along with the notification.

### **Worker / Visitor - Asbestos Hazard Notification**

This project is located on or near serpentine rock or soils. Regulated amounts of Asbestos are common in the serpentine areas of Lake County. This project is being constructed in compliance with the attached Serpentine Dust Control Plan. Dust control for this project is regulated by the Lake County Air Quality Management District. All workers will read and follow the requirements of the attached plan and certify their receipt of asbestos hazard training and understanding of the dust control measures to be utilized by signature.

The material on this site is known or presumed to contain asbestos in a concentration of greater than 1%. The release and breathing of asbestos fibers can be a health hazard to both the site workers and neighboring residents. It is important that asbestos fibers not be released to the air or carried off-site on clothing or vehicles and cause off site exposures.

### **The Primary Asbestos Diseases**

**Asbestosis** - This disease occurs when asbestos fibers irritate and scar the air sacs in the lungs. This restricts the ability to transfer oxygen to the blood and results in breathing and heart problems. There is no treatment for asbestosis.

**Mesothelioma** - This disease is a cancer of the lining of the chest (pleural cavity) or abdominal cavity and is always fatal. Asbestos exposure is the only known cause of mesothelioma.

**Cancers** of the lung, stomach or colon - Those types of cancers may result from asbestos exposure. They have varying prognoses. Most asbestos related disease have long latency periods. Symptoms may not appear for five to forty years.

Asbestos exposure and smoking are particularly dangerous. The risk of developing lung cancer is more than ninety times as great for people that smoke and are exposed to asbestos.

**I have read and understand the asbestos hazard notice and the requirements of the serpentine dust control plan.**

Name \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_\_\_

### **Safety Tips:**

- 1) Asbestos causes problems primarily through the breathing of small fibers in the dust.
- 2) Asbestos fibers can be released by disturbing serpentine surfaces during digging, grading and traffic use.
- 3) Adequate watering, dust control treatments or the covering exposed serpentine surfaces can limit the release of asbestos fibers to the air.

Maintaining a clean work-site and following the serpentine dust control plan should minimize your exposure to asbestos fibers. **Report any observed problems to you supervisor immediately.** We can't change the fact that asbestos is present at this location, but we can effectively manage the hazards. **If you are not sure what to do, ASK!**

**DANGER  
ASBESTOS DUST  
HAZARD**

**CANCER AND  
LUNG DISEASE HAZARD**

**AUTHORIZED  
PERSONNEL  
ONLY**

**Contact Name: \_\_\_\_\_  
Phone #: \_\_\_\_\_**

**Minimum Sign Size 12" x 18"**

## **Asbestos Inspectors, Consultants, and Laboratories**

*This listing of persons, firms or service providers should not be considered an endorsement of acknowledgement of the acceptability of the work or services provided. The above list is information only and the user is cautioned to examine the credentials of any contractor, person, firm or service provided prior to entering into a contractual agreement.*

*\* Geologists/Consultants    \*\* CARB Method 435 bulk soils asbestos analysis*

---

Arturo Casas  
Hygeia Laboratories Inc.  
82 W. Sierra Madre Blvd.  
Sierra Madre, CA 91024-2434  
626-355-4711

---

Dick Davis  
CalTech Environmental Inc.  
727 Azalea St.  
Napa, CA 94558  
800-273-9992

---

J.A. Townsley Co. \*  
400 Tamal Plaza, Suite 404  
Corte Madera, CA 94925  
415-924-3566

---

BACE Geotechnical \*  
761 S. State St.  
Ukiah, CA 95482  
462-5280

---

Frank Raviola, Technical Sup. \*\*  
Micro Analytical Laboratories, Inc.  
5900 Hollis St., Suite M  
Emeryville, CA 94608-2008  
510-653-0824

---

James A. Richards \*\*  
MACS Lab, Inc.  
2070 A Walsh Ave.  
Santa Clara, CA. 95050  
408-727-9727

---

Benchmark Property Inspections  
206 Walsh Ave., Suite C-2  
Santa Clara, CA 95050  
408-982-9607

---

George Rau \*  
Geotechnical Consultant  
Rau & Associates  
100 N. Pine  
Ukiah, CA 95482  
462-6536

---

Jerrie Waltz  
E.R. Adams, Inc.  
2370 Rickenbacker Way  
Auburn, CA 95603  
916 885-8504

---

Bernadine M. Kolk \*\*  
EMS Laboratories, Inc.  
117 West Bellevue Dr.  
Pasadena, CA 91105-2503  
626-568-4065

---

Greg Arnold \*  
GeoPacific  
4373 Hessel Ct.  
Sebastopol, CA 95472  
829-8009

---

Jim Winters \*  
Winzler & Kelly, Engineers  
495 Tesconi Circle  
P.O. Box 6598  
Santa Rosa, CA 95406  
523-1010

---

Burt Olhiser, Principal \*  
Vantage Point Consulting  
P.O. Box 1112  
Middletown, CA 95461  
987-1977

---

Gregory J. Reller, R.G. \*  
Geologist  
Tetra Tech EM Inc.  
10670 White Rock Rd. Suite 100  
Rancho Cordova, CA 95670  
916-853-4531

---

Joe Nixt  
Systems Abatement  
P.O. Box 1207  
Anderson, CA 96007  
530-945-4215

---

Chris Kirschenheuter  
Bluewater Env. Services Inc.  
727 77th Avenue  
Oakland, CA 94621  
510-638-8384

---

Greta Galoustian  
Los Angeles Unified School Dist.  
BSC Annex  
1449 So. San Pedro Street  
Los Angeles, CA 90015  
213-745-1138

---

John Walker  
E&W Construction  
1291 Talmage Rd.  
Ukiah, CA 95482  
468-1228

---

Clifton J. Kiser  
AmeriSci Los Angeles  
24416 South Main St., Suite 308  
Carson, CA 90745  
310-834-4868

---

H. Bergland  
W & E Asbestos Abatement Inc.  
1291 Talmage Rd.  
Ukiah, CA  
463-4812

---

Juan Hidalgo \*  
RGH Geotechnical &  
Environmental Consultants  
468 Yolanda Ave., Suite 204  
Santa Rosa, CA 95404  
544-1072

---

David Sandusky \*\*  
Forensic Analytical Spec., Inc.  
3777 Depot Road, Suite 409  
Hayward, CA 94545-2761  
510-887-8828

---

HazMat Solutions, Inc.  
1113 First Street  
Novato, CA 94945  
415-897-1234

---

Ken Anton \*  
Anton Geological  
877-3278

## **Asbestos Inspectors, Consultants, and Laboratories**

*This listing of persons, firms or service providers should not be considered an endorsement of acknowledgement of the acceptability of the work or services provided. The above list is information only and the user is cautioned to examine the credentials of any contractor, person, firm or service provided prior to entering into a contractual agreement.*

*\* Geologists/Consultants    \*\* CARB Method 435 bulk soils asbestos analysis*

---

Kevin Smith  
KSL  
505-1 S. Hwy 49, #101  
Jackson, CA 95642  
209-286-1822

---

Paul Brophy \*  
EGS Inc.  
725 Farmers Lane, Suite 8  
Santa Rosa, CA 95405  
707-544-0955

---

Terrence Bennett, Bus. Manager  
Precision Micro-Analysis  
5685-A Power Inn Rd.  
Sacramento, CA 95824  
916-381-0695

---

Mark Bailey \*\*  
Asbestos TEM Laboratories, Inc.  
630 Bancroft Way  
Berkeley, CA 94710  
510-704-8930

---

Peter Almondinger \*  
Gemini Petrographic  
1516 Grant Ave  
Novato, CA 94947  
800-655-9016

---

Terry Sackett  
PW Stephens Contractors Inc.  
500 Giuseppe Ct., Suite #6  
Roseville, CA 95678  
916-782-2204

---

Marvin Snap \*  
SI Consulting  
#11 Clotilda Ct.  
Mill Valley, CA 94941  
415-389-5943

---

Ralph Curran \*  
2137 Stonfield Lane  
Santa Rosa, CA 95403  
525-0337

---

Tommy Conlon  
ASBESTECH  
6825 Fair Oaks Blvd., Suite 103  
Carmichael, CA 95608  
916-481-8902

---

Michael Edwards \*  
Senior Industrial Hygienist  
Sensible Solutions  
1125-B Arnold Dr., Suite 278  
Martinez, CA 94553  
925-370-9737

---

Ralph Hagdorn  
D. Young Construction  
P.O. Box 195  
Lucerne, CA 95458  
274-2400

---

Will Davis  
Env. Health & Safety Services  
422 South Main Street  
Lakeport, CA 95453  
262-0554

---

Mike Maladzhikyan  
Western Analytical Laboratory,  
Inc.  
12734 Branford St., Unit #19  
Arleta, CA 91331  
818-899-0949

---

Richard Bazzano Construction  
395 Perkins St.  
Ukiah, CA 95482  
468-4626

---

Montgomery Laboratories  
555 East Walnut St.  
Pasadena, CA 911011  
818-796-9141

---

Sean Fitzgerald \*\*  
RJ Lee Group, Inc.  
530 McCormick St.  
San Leandro, CA 94577  
510-567-0480

---

Neil A. Thomsen \*  
Engineering Geologist  
Thomsen Consulting Engineers  
1760 Merritt Rd.  
Lakeport, CA 95453  
263-8303

---

Sidhu Harkamaljit \*\*  
EMSL Analytical, Inc.  
2235 Polvorosa Ave. Suite 230  
San Leandro, CA 94577  
888-455-3675

---

Nick Rottunda  
SAIL  
4224 Campus Pt. Ct., Suite 100  
San Diego, CA. 92121  
619-535-7418

---

Steve Wilbur, Lab Supervisor  
AccuLab/Environmental Services  
3700 Lakeville Hwy  
Petaluma, CA 94952  
763-8245